

7769 95th Street South Cottage Grove, MN

SAFETY DATA SHEET

Revision Date: 8/14/2015

Emergency Phone: 1-800-535-5053 (Infotrac)

Section 1: Identification

Product Name: Laundry Destainer Code: 98PBD00

Chemical Type: Liquid Manufacturer/Supplier:

Innovative Chemical Corporation

7769 95th Street South Cottage Grove, MN 55016

651-649-1762

Section 2: Hazard(s) Identification

GHS Classification

Skin corrosion/irritation	Category 1A
Serious eye damage/eye irritation	Category 1

GHS Label element

Signal word: Danger

Hazard statements: Causes severe skin burns and eye damage.





Precautionary Statements

Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye

protection/ face protection. Mixing this product with acid or ammonia releases chlorine gas.

Response: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take

off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash

contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved waste disposal plant.

Other hazards: None known.

Section 3: Composition/Information on Ingredients

CAS number/other identifiers

Hazardous Components

Laundry Destainer page 1

Chemical Name	%weight	CAS
sodium hypochlorite	10-30	7681-52-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational limits, if available are listed in Section 8.

Section 4: First-Aid Measures

Description of first aid measures

In case of eye	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact
contact	lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash
contact	clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious
	person. Get medical attention immediately.
If inhaled	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-	If potential for exposure exists refer to Section 8 for specific personal protective equipment.
aiders	
Notes to Physician	Treat symptomatically.

See toxicological information (Section 11)

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None known.
Specific hazards during fire fighting	Not flammable or combustible.
Hazardous combustion products	Carbon oxides
Special protective equipment for fire-	Use personal protective equipment.
fighters	
Specific extinguishing methods	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions,	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid	
protective equipment and	inhalation, ingestion and contact with skin and eyes. When workers are facing	
emergency procedures	concentrations above the exposure limit they must use appropriate certified respirators.	
	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed	
	in sections 7 and 8	
Environmental precautions	Do not allow contact with soil, surface or ground water	

Methods and materials for	Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent
containment and cleaning up	material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for
	disposal according to local / national regulations (see section 13). Flush away traces with
	water. For large spills, dike spilled material or otherwise contain material to ensure runoff
	does not reach a waterway.

Section 7: Handling and Storage

Precautions for safe handling

Advice on safe handling	Do not ingest. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not get in eyes, on	
	skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate	
	ventilation. Mixing this product with acid or ammonia releases chlorine gas.	
Conditions for safe storage	Keep in a cool, well-ventilated place. Do not store near acids. Keep away from reducing	
	agents. Keep away from combustible material. Keep out of reach of children. Keep container	
	tightly closed. Store in suitable labeled containers.	
Storage temperature	-15 °C to 40 °C	

Section 8: Exposure Controls/Personal Protection

Ingredients with workplace control parameters

Ingredients	Form of exposure	Permissible concentration	Basis
sodium hypochlorite	STEL	2 mg/m3	WEEL
chlorine	TWA	0.5 ppm	ACGIH
	STEL	1 ppm	ACGIH
	Ceiling	0.5 ppm	NIOSH REL
		1.45 mg/m3	
	Ceiling	1 ppm	OSHA Z1
		3 mg/m3	
sodium hypochlorite	STEL	2 mg/m3	WEEL

Engineering measures	Effective exhaust ventilation system. Maintain air concentrations below occupational	
	exposure standards	

Personal protective equipment

Eye protection	Safety goggles
	Face-shield
Hand protection	Wear the following personal protective equipment:
	Standard glove type.
	Gloves should be discarded and replaced if there is any indication of
	degradation or chemical breakthrough.
Skin protection	Personal protective equipment comprising: suitable protective gloves, safety goggles and
	protective clothing
Respiratory	When workers are facing concentrations above the exposure limit they must use appropriate
protection	certified respirators.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section 9: Physical and Chemical Properties

Physical state Liquid
Color Yellow
Odor Chlorine
pH 12

Flash point Not Applicable
Odor Threshold No data available
Melting No data available

point/freezing point

Initial boiling point No data available

and boiling range

Evaporation rate No data available **Flammability (solid,** No data available

gas)

Upper flammability No data available

limit:

Lower flammability No data available

limit:

Vapor pressureNo data availableRelative vaporNo data available

density

Relative density 1.154 **Water solubility** soluble

Solubility in other

No data available

solvents

Partition No data available

coefficient: noctanol/water

Autoignition No data available

temperature

Thermal No data available

decomposition

Viscosity, kinematic No data available

Explosive properties No data available

Oxidizing properties No data available

Molecular weight No data available VOC No data available

Section 10: Stability and Reactivity

Chemical stability	Stable under normal conditions.	
Possibility of hazardous	Mixing this product with acid or ammonia releases chlorine gas.	
reactions		
Conditions to avoid	None known.	
Incompatible materials	Acids	
	Metals	
Hazardous decomposition	Carbon oxides	
products		

Section 11: Toxicological Information

Information on likely routes of exposure

Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	Causes serious eye damage.
Skin	Causes severe skin burns.
Ingestion	Causes digestive tract burns.
Inhalation May cause nose, throat, and lung irritation.	
Chronic Exposure	Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	Redness, Pain, Corrosion	
Skin contact	Redness, Pain, Corrosion	
Ingestion	Corrosion, Abdominal pain	
Inhalation	Respiratory irritation, Cough	

Toxicity

Acute oral toxicity	no data available
Acute inhalation	no data available
toxicity	
Acute dermal	no data available
toxicity	
Skin	no data available
corrosion/irritation	
Serious eye	no data available
damage/eye	
Respiratory or skin	no data available
sensitization	
Carcinogenicity	no data available
Reproductive	no data available
Germ cell	no data available
mutagenicity	
Teratogenicity	no data available

Laundry Destainer page 1

STOT-single	no data available
exposure	
STOT-repeated	no data available
exposure	
Aspiration toxicity	no data available

Ingredients

Acute oral toxicity	sodium hypochlorite		
	LD50 rat: 5,230 mg/kg		
Acute inhalation	sodium hypochlorite		
toxicity	1 h LC50 rat: > 10,500 mg/l		
Acute dermal	sodium hypochlorite		
toxicity	LD50 rabbit: > 10,000 mg/kg		

Section 12: Ecological information

Ecotoxicity

Environmental	Toxic to aquatic life.
Effects	

Product

Toxicity to fish	96 h LC50 Oncorhynchus mykiss (rainbow trout) : 2.1 mg/l		
	96 h LC50 Inland Silverside : 7.6 mg/l		
Toxicity to daphnia	48 h LC50 Americamysis bahia : 18.1 mg/l		
and other aquatic	48 h LC50 Daphnia dubia : 0.57 mg/l		
invertebrates			
Toxicity to algae	no data available		

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Other adverse effects

Not available.

Section 13: Disposal considerations

Disposal methods

The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.

RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste

D002 (Corrosive)

Section 14: Transport information

Regulatory info	UN number	Proper shipping name	Classes	PG	Environmental hazards	Additional info
DOT Classification	1791	Hypochlorite solutions	8	III.	No.	
TDG Classification	1791	Hypochlorite solutions	8	III.	No.	
Mexico	1791	Hypochlorite solutions	8	III.	No.	
Classification						
ADR/RID Class	1791	Hypochlorite solutions	8	III.	No.	
IMDG Class	1791	Hypochlorite solutions	8	III.	No.	
IATA-DGR Class	1791	Hypochlorite solutions	8	III.	No.	

Section 15: Regulatory information

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

Acute Health Hazard

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

DSL All components of this product are on the Canadian DSL.

AICS	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

Section 16: Other information


Hazardous Material Information System (U.S.A.):



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association:



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Notice to reader

Laundry Destainer page 1

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist