

7769 95th Street South Cottage Grove, MN 55016

SAFETY DATA SHEET

Revision Date: 7/14/2015

Emergency Phone: 1-800-535-5053 (Infotrac)

Section 1: Identification

Product Name: Purple C **Code:** 98PPC00

Chemical Type: Liquid Manufacturer/Supplier:

Innovative Chemical Corporation

7769 95th Street South Cottage Grove, MN 55016

651-649-1762

Section 2: Hazard(s) Identification

OSHA/HCS status

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other uses of this product.

Classification of the substance or mixture: Not classified.

Label elements

Signal word: No signal word. **Hazard statements:** Skin and eye irritant.

May be harmful if swallowed

Precautionary Statements

Prevention:Not applicableResponse:Not applicableStorage:Not applicableDisposal:Not applicableHazards not otherwiseNone Known

classified

Section 3: Composition/Information on Ingredients

Substance or mixture: Mixture
Other means of identification: Not available.

CAS number/other identifiers

CAS number: Not applicable.

| Hazardous Components | | |
|---|---------|------------|
| Chemical Name | %weight | CAS |
| tetrasodium ethylene diamine tetraacetate | 1 - 3 | 64-02-8 |
| Alcohols, C9-11, ethoxylated | 2 - 5 | 68439-46-3 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational limits, if available are listed in Section 8.

| Section 4: First-Aid ivieasures |
|---------------------------------|
| |
| |

Description of first aid measures

| | or morala measures |
|------------|--|
| Eyes | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check |
| | for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | Remove victim to fresh air and keep at rest I a position comfortable for breathing. Get medical |
| | attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms |
| | may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical |
| | attention if symptoms occur. |
| Ingestion | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable |
| | for breathing. If material has been swallowed and the exposed person is conscious, give small |
| | quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. |
| | Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Eye contact | No known significant effects or critical hazards. |
|--------------|---|
| Inhalation | No known significant effects or critical hazards. |
| Skin contact | No known significant effects or critical hazards. |
| Ingestion | No known significant effects or critical hazards. |

Over-exposure signs/symptoms

| Eye contact | No specific data. |
|--------------|-------------------|
| Inhalation | No specific data. |
| Skin contact | No specific data. |
| Ingestion | No specific data. |

Indication of any immediate medical attention needed

| Notes to Physician | In the case of inhalation of decompositional prudcuts in a fire, symptoms may be delayed. The | |
|--------------------|---|--|
| | exposed person may need to be kept under medical surveillance for 48 hours. | |
| Specific treatment | No specific treatment. | |
| Protection of | No action shall be taken involving any personal risk or without suitable training. | |
| first-aiders | | |

See toxicological information (Section 11)

Section 5: Fire-Fighting Measures

Extinguishing media

| Suitable extinguishing media | Use an extinguishing agent suitable for the surrounding fire. |
|--|--|
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | In a fire or if heated, a pressure increase will occur and the container |
| | may burst. |
| Hazardous thermal decomposition | Decomposition products may include the following materials: |
| products | carbon dioxide, carbon monoxide, nitrogen oxides, sulfur oxides |
| | metal oxide/oxides |
| Protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of |
| | the incident if there is a fire. No action shall be taken involving any |
| | personal risk or without suitable training. |
| Protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self |
| | contained breathing apparatus (SCBA) with a full face piece operated in |
| | positive pressure mode. |

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

| | la de la constant de |
|----------------------------------|---|
| For non-emergency | No action shall be taken involving any personal risk or without suitable training. |
| personnel | Evacuate surrounding areas. Keep unnecessary and unprotected personnel from |
| | entering. Do not touch or walk through spilled material. Put on appropriate personal |
| | protective equipment. |
| For emergency responders | If specialized clothing is required to deal with the spillage, take note of any |
| | information in Section 8 on suitable and unsuitable materials. See also the |
| | information in "For non- emergency personnel". |
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, |
| | drains and sewers. Inform the relevant authorities if the product has caused |
| | environmental pollution (sewers, waterways, soil or air). |

Methods and material for containment and cleaning up

| | 8 P |
|-------------|---|
| Small spill | Stop leak if without risk. Move containers from spill area. Dilute with water and mop |
| | up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry |
| | material and place in an appropriate waste disposal container. Dispose of via a |
| | licensed waste disposal contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Approach release from upwind. |
| | Prevent entry into sewers, water courses, basements or confined areas. Wash spillages |
| | into an effluent treatment plant or proceed as follows. Contain and collect spillage with |
| | non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth |
| | and place in container for disposal according to local regulations (See Section 13). |
| | Dispose of via a licensed waste disposal contractor. |

Section 7: Handling and Storage

Precautions for safe handling

| Protective measures | Put on appropriate personal protective equipment (see Section 8). |
|---------------------|---|
|---------------------|---|

| Advice on general | Eating, drinking and smoking should be prohibited in areas where this material is handled, |
|-----------------------------|--|
| occupational hygiene | stored and processed. Workers should wash hands and face before eating, drinking and |
| | smoking. Remove contaminated clothing and protective equipment before entering |
| | eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage | Store in accordance with local regulations. Store in original container protected from |
| including any | direct sunlight in a dry, cool, and well-ventilated area, away from incompatible |
| incompatibilities | materials (see Section 10) and food and drink. Keep container tightly closed and sealed |
| | until ready for use. Containers that have been opened must be carefully resealed and kept |
| | upright to prevent leakage. Do not store in unlabeled containers. Use appropriate |
| | containment to avoid environmental contamination. |

Section 8: Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits

None.

| Appropriate | Good general ventilation should be sufficent to control worker exposure to airborn |
|----------------------|--|
| engineering controls | contaminants. |
| Environmental | Emissions from ventilation or work process equipment should be checked to ensure |
| exposure controls | they comply with the requirements of environmental protection legislation. In some |
| | cases, fume scrubbers, filters or engineering modifications to the process equipment |
| | will be necessary to reduce emissions to acceptable levels. |

Individual protection measures

| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before |
|------------------|---|
| | eating, smoking and using the lavatory and at the end of the working period. |
| | Appropriate technique should be used to remove potentially contaminated clothing. |
| | Wash contaminated clothing before reusing. Ensure that eyewash stations and safety |
| | showers are close to the workstation. |
| Respiratory | Use a properly fitted, air-purifying or air-fed respirator complying with an approved |
| | standard if a risk assessment indicates this is necessary. Respirator selection must be |
| | based on known or anticipated exposure levels, the hazards of the product and the |
| | safe working limits of the selected respirator. |
| Eyes/Face | Safety eyewear complying with an approved standard should be used when a risk |
| | assessment indicates this is necessary to avoid exposure to liquid splashes, mists, |
| | gases or dusts. If contact is possible, the following protection should be worn, unless |
| | the assessment indicates a higher degree of protection: Safety glasses with side shields. |
| Hands | Checmical-resistant, impervious gloves complying with an approved standard should be |
| | worn at all times when handling chemical products if a risk assement indicates this is |
| | necessary. |
| Skin/Body | Personal protective equipment for the body should be selected based on the task |
| | being performed and the risks involved and should be approved by a specialist |
| | before handling this product. Appropriate footwear and any additional skin |
| | protection measures should be selected based on the task being performed and the |
| | risks involved and should be approved by a specialist before handling this product. |

Section 9: Physical and Chemical Properties

Physical state Liquid
Color Purple
Odor Cherry
Odor threshold Not ava

Odor threshold Not available

pH 12

Melting PointNot availableBoiling PointNot available

Flash Point Closed cup: Not applicable. [Product does not sustain combustion.]

Evaporation rate Not available **Flammability** Not available

(solid, gas)

Lower and upper Not available

explosive

(flammable) limits

Vapor pressure Not available Vapor density Not available

Relative density 1.024

Solubility Easily soluble in cold and hot water.

Partition Not available

coefficient:

n-octanol/water

Auto-ignition Not available

temperature

Decomposition Not available

temperature

Viscosity Not available

Section 10: Stability and Reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: Stable

Possibility of hazardous Under normal conditions, hazardous reactions will not occur.

reactions:

Conditions to avoid: No specific data Incompatible materials: No specific data

Hazardous decomposition Unde

products:

Under normal conditions, hazardous decomposition products should not be produced.

Section 11: Toxicological Information

Acute toxicity

| Ingredient name | Result | Species | Dose | Exposure |
|------------------------------|-------------|---------|------------|----------|
| tetrasodium ethylene | LD50 Oral | Rat | 10 g/kg | - |
| diamine tetraacetate | | | | |
| Alcohols, C9-11, ethoxylated | LD50 Dermal | Rabbit | 2 g/kg | - |
| | LD50 Oral | Rat | 1378 mg/kg | - |

Irritation/Corrosion

| Ingredient name | Result | Species | Score | Exposure | Observation |
|----------------------|--------------------------|---------|-------|------------|-------------|
| tetrasodium ethylene | Eyes - Moderate irritant | Rabbit | - | 24 hrs 100 | - |
| diamine tetraacetate | | | | milligrams | |
| | Skin - Moderate irritant | Rabbit | - | 24 hrs 500 | - |
| | | | | milligrams | |

Sensitization

Not available

Mutagenicity

Not available

Carcinogenicity

Not available

Reproductive toxicity

Not available

Teratogenicity

Not available

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available

Information on the likely routes of exposure

Routes of entry anticipated: Oral, Dermal Routes of entry not anticipated: Inhalation

Potential acute health effects

| Eye contact | No known significant effects or critical hazards | |
|--------------|--|--|
| Inhalation | No known significant effects or critical hazards | |
| Skin contact | No known significant effects or critical hazards | |
| Ingestion | No known significant effects or critical hazards | |

Symptoms related to the physical, chemical and toxicological characteristics

| | • • • |
|-------------|------------------|
| Eye contact | No specific data |
| Inhalation | No specific data |

| Skin contact | No specific data |
|--------------|------------------|
| Ingestion | No specific data |

Delayed and immediate effects and chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Potential chronic health effects

Not available

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagencity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|-------|--------------|
| Oral | 2924.1 mg/kg |

Section 12: Ecological information

Toxicity

| Ingredient name | Result | Species | Exposure |
|------------------------------|------------------------------------|-------------------------|----------|
| tetrasodium ethylene | Acute LC50 486000 μg/l Fresh water | Fish - Lepomis | 96 hrs |
| diamine tetraacetate | | macrochirus | |
| Alcohols, C9-11, ethoxylated | Acute EC50 5.36 mg/l Fresh water | Crustaceans - | 48 hrs |
| | | Ceriodaphnia dubia - | |
| | | Neonate | |
| | Acute EC50 2686 μg/l Fresh water | Daphnia - Daphnia magna | 48 hrs |
| | | - Neonate | |

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| tetrasodium ethylene | 5.01 | 1.8 | low |
| diamine tetraacetate | | | |

Alcohols, C9-11, ethoxylated - low

Mobility in soil

Soil/water partition coefficient (Koc): Not available

Other adverse effects: No known significant effects or critical hazards.

Section 13: Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14: Transport information

| | UN | | | | Environmenta | |
|--------------------|------------|----------------------|---------|----|--------------|--------------------------|
| Regulatory info | number | Proper shipping name | Classes | PG | l hazards | Additional info |
| DOT Classification | Not | - | - | - | No | Reportable quantity |
| | regulated. | | | | | 29850.7 lbs / 13552.2 kg |
| | | | | | | [3496.2 gal / 13234.6 L] |
| | | | | | | Package sizes shipped |
| | | | | | | in quantities less than |
| | | | | | | the product reportable |
| | | | | | | quantity are not subject |
| | | | | | | to the RQ (reportable |
| | | | | | | quantity) |
| | | | | | | transportation |
| | | | | | | requirements. |
| TDG Classification | Not | - | - | - | No | - |
| | regulated. | | | | | |
| Mexico | Not | - | - | - | No | - |
| Classification | regulated. | | | | | |
| ADR/RID Class | Not | - | - | - | No | - |
| | regulated. | | | | | |
| IMDG Class | Not | - | - | - | No | - |
| | regulated. | | | | | |
| IATA-DGR Class | Not | - | - | - | No | - |
| | regulated. | | ļ | | | |

Special precautions for user: Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78

Not available

and the IBC Code:

Section 15: Regulatory information

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate; sodium hydroxide

Clean Air Act Section 112(b)
Hazardous Air Pollutants

(HAPs)

Not Listed

Clean Air Act Section 602

Class I Substances

Not Listed

Clean Air Act Section 602

Class II Substances

Not Listed

DEA List I Chemicals

(Precursor Chemicals)

Not Listed

DEA List II Chemicals

(Essential Chemicals)

Not Listed

SARA 302/304 No products found

SARA 304 RQ Not applicable

SARA 311/312 Not applicable

Classification

Composition/information on ingredients

| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|------------------------------|---------|-------------|----------------------------------|----------|---------------------------------------|--|
| | | 1 | | | | |
| tetrasodium ethylene | 3 - 3.3 | Yes. | No. | No. | Yes. | No. |
| diamine tetraacetate | | | | | | |
| Alcohols, C9-11, ethoxylated | 1 - 2.9 | No. | No. | No. | Yes. | No. |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts: Not Listed.
New York: Not Listed.
New Jersey: Not Listed.
Pennsylvania: Not Listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not Listed

Montreal Protocol (Annexes A, B, C, E)

Not listed

Stockholm Convention on Persistent Organic Pollutants

Not listed

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed

International Lists:

National Inventory

Australia Not determined. Canada Not determined. China Not determined. Europe Not determined. Japan Not determined. Malaysia Not determined. **New Zealand** Not determined. **Philippines** Not determined. **Republic of Korea** Not determined. Not determined. Taiwan

Section 16: Other information


Hazardous Material Information System (U.S.A.):



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association:



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

| Classification | Justification |
|-----------------|---------------|
| Not classified. | - |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist