

7769 95th Street South Cottage Grove, MN 55016

SAFETY DATA SHEET

 Revision Date:
 8/7/2015

 Emergency Phone:
 1-800-535-5053 (Infotrac)

| Section 1: Identification | | |
|----------------------------|---------------------------------|--|
| Product Name: Drying Agent | Code: 98PDA00 | |
| Chemical Type: Liquid | Manufacturer/Supplier: | |
| | Innovative Chemical Corporation | |
| | 7769 95th Street South | |
| | Cottage Grove, MN 55016 | |
| | 651-649-1762 | |
| | | |

Section 2: Hazard(s) Identification

GHS Classification

| Flammable liquids | Category 4 |
|-----------------------|-------------|
| Acute toxicity (Oral) | Category 4 |
| Skin corrosion | Category 1B |
| Serious eye damage | Category 1 |
| Aspiration hazard | Category 1 |

Label elements

Signal word: Danger Hazard statements:

> Harmful if swallowed. May be fatal if swallowed and enters airways.



Precautionary Statements

Prevention:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
smoking. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this
product. Wear protective gloves/ protective clothing/ eye protection/ face protection.

| Response: | IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. IF SWALLOWED: |
|-----------|---|
| | Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all |
| | contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh |
| | air and keep at rest in a position comfortable for breathing. Immediately call a POISON |
| | CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. |
| | Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a |
| | POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of |
| | fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. |
| | |

Storage:Store in a well-ventilated place. Keep cool. Store locked up.Disposal:Dispose of contents/container in accordance with local regulation.

Carcinogenicity:

| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, |
|-------|--|
| | possible or confirmed human carcinogen by IARC. |
| ACGIH | Confirmed animal carcinogen with unknown relevance to humans |
| | 2-butoxyethanol 111-76-2 |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a |
| | carcinogen or potential carcinogen by OSHA. |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or |
| | anticipated carcinogen by NTP. |

| Section 3: Composition/Information on Ingredients | |
|---|----------------|
| Substance or mixture: | Mixture |
| Other means of identification: | Not available. |

CAS number/other identifiers

CAS number:

Not applicable.

| Hazardous Components | | |
|--|---------|------------|
| Chemical Name | %weight | CAS |
| Distillates (petroleum), hydrotreated middle | 30-50 | 64742-46-7 |
| Quaternary ammonium compounds, dicoco alkyldimethyl, | 20-30 | 61789-77-3 |
| chlorides | | |
| Amines, tallow alkyl, ethoxylated | 10-20 | 61791-26-2 |
| 2-butoxyethanol | 5-10 | 111-76-2 |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational limits, if available are listed in Section 8.

| Section 4: First-Aid Measures | | |
|-----------------------------------|---|--|
| Description of first aid measures | | |
| General advice | Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim | |
| | unattended. | |

| If inhaled | If unconscious place in recovery position and seek medical advice. If inhaled, remove to fresh air. |
|-----------------|--|
| In case of skin | If on skin, rinse well with water. If on clothes, remove clothes. Get medical attention if irritation develops |
| contact | and persists. |
| In case of eye | Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 |
| contact | minutes. Seek medical advice. |
| If swallowed | Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give |
| | anything by mouth to an unconscious person. If symptoms persist, call a physician. |

See toxicological information (Section 11)

Section 5: Fire-Fighting Measures

| Extinguishing media | |
|----------------------------------|---|
| Suitable extinguishing media | Carbon dioxide (CO2) |
| | Foam |
| Unsuitable extinguishing media | High volume water jet |
| Hazardous combustion products | Carbon dioxide (CO2) |
| | Carbon monoxide |
| | Smoke |
| Specific extinguishing methods | Use extinguishing measures that are appropriate to local circumstances and the |
| | surrounding environment. |
| Further information | Collect contaminated fire extinguishing water separately. This must not be |
| | discharged into drains. Fire residues and contaminated fire extinguishing water |
| | must be disposed of in accordance with local regulations. |
| Special protective equipment for | Wear self-contained breathing apparatus for firefighting if necessary. |
| firefighters | |

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

| I / I | |
|-----------------------------|--|
| Personal precautions, | Use personal protective equipment. Ensure adequate ventilation. |
| protective equipment and | |
| emergency procedures | |
| Environmental precautions | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If |
| | the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, |
| containment and cleaning up | diatomaceous earth, vermiculite) and place in container for disposal according to local / |
| | national regulations (see section 13). Keep in suitable, closed containers for disposal. |
| | |

| Section 7: Handling and Storage | |
|---------------------------------|--|
| Precautions for safe handling | |
| Ū. | Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. |

| Conditions for safe storage | No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers |
|-----------------------------|--|
| | which are opened must be carefully resealed and kept upright to prevent leakage. Observe |
| | label precautions. Electrical installations / working materials must comply with the |
| | technological safety standards. |
| Materials to avoid | Keep away from oxidising agents and strongly acid or alkaline materials. |

Section 8: Exposure Controls/Personal Protection

Control parameters

Components with workplace control parameters

| Components | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|----------------|----------------------------------|---|-----------|
| 2-butoxyethano | TWA | 20 ppm | ACGIH |
| | TWA | 5 ppm 24 mg/m3 | NIOSH REL |
| | TWA | 50 ppm 240 mg/m3 | OSHA Z-1 |
| | TWA | 25 ppm 120 mg/m3 | OSHA PO |
| propan-2-ol | TWA | 200 ppm | ACGIH |
| | STEL | 400 ppm | ACGIH |
| | TWA | 400 ppm 980 mg/m3 | NIOSH REL |
| | ST | 500 ppm 1,225 mg/m3 | NIOSH REL |
| | TWA | 400 ppm 980 mg/m3 | OSHA Z-1 |
| | TWA | 400 ppm 980 mg/m3 | OSHA PO |
| | STEL | 500 ppm 1,225 mg/m3 | OSHA PO |

Biological occupational exposure limits

| Component | Control | Biological | Sampling | Permissible | Basis |
|---------------------|----------------------------|------------|---|---------------|-----------|
| | parameters | specimen | time | concentration | |
| 2-BUTOXYETHANOL | Butoxyacetic acid (BAA) | Urine | End of shift (As soon as possible after exposure ceases) | 200 mg/g | ACGIH BEI |
| Remarks: Creatinine | <u></u> | 1 | LEASEST | 1 | |
| PROPAN-2-OL | Acetone | Urine | End of shift at end of workweek | 40 mg/l | ACGIH BEI |

Personal protective equipment

| Respiratory | No personal respiratory protective equipment normally required. | | |
|-----------------|--|--|--|
| protection | | | |
| Hand protection | The suitability for a specific workplace should be discussed with the producers of the | | |
| Remarks | protective gloves. | | |
| Eye protection | Eye wash bottle with pure water | | |
| | Tightly fitting safety goggles | | |
| | Wear face-shield and protective suit for abnormal processing problems. | | |

| Skin and body | Impervious clothing | |
|------------------|---|--|
| protection | Choose body protection according to the amount and | |
| | concentration of the dangerous substance at the work place. | |
| Protective | Wear suitable protective equipment. | |
| measures | Avoid contact with skin. | |
| | When using do not eat, drink or smoke. | |
| Hygiene measures | When using do not eat or drink. | |
| | When using do not smoke. | |
| | Wash hands before breaks and at the end of workday. | |

| | Section 9: Physical and Chemical Properties |
|------------------|---|
| Physical state | Liquid |
| Color | Clear |
| Odor | No Scent |
| Odor threshold | Not available |
| рН | Not available |
| Boiling Point | > 100 °C |
| Flash Point | 65.6 °C Method: closed cup |
| Evaporation rate | Not available |
| Upper explosion | Not available |
| limit | |
| Lower explosion | Not available |
| limit | |
| Vapor pressure | Not available |
| Relative vapour | Not available |
| density | |
| Density | 0.86 - 0.89 g/cm3 |
| Solubility | Not available |
| Partition | Not available |
| coefficient: n- | |
| octanol/water | |
| Auto-ignition | not determined |
| temperature | |
| Thermal | Not available |
| decomposition | |
| Viscosity | Not available |

| | Section 10: Stability and Reactivity |
|--------------------------|--|
| Reactivity: | Stable |
| Chemical stability: | Stable under normal conditions. |
| Possibility of hazardous | No decomposition if stored and applied as directed. |
| reactions: | |
| Conditions to avoid: | Heat, flames and sparks. |
| Incompatible materials: | no data available |
| Hazardous decomposition | Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |
| products: | |

| Section 11: Toxicological Information | | | | | | |
|---------------------------------------|---|--|--|--|--|--|
| Acute toxicity | | | | | | |
| Acute oral toxicity | Acute toxicity estimate : 1,670 mg/kg | | | | | |
| | Method: Calculation method | | | | | |
| Acute inhalation toxicity | Acute toxicity estimate : > 40 mg/l | | | | | |
| | Exposure time: 4 h | | | | | |
| | Test atmosphere: vapour | | | | | |
| | Method: Calculation method | | | | | |
| Acute dermal toxicity | Acute toxicity estimate : > 5,000 mg/kg | | | | | |
| | Method: Calculation method | | | | | |

Skin corrosion/irritation

| Remarks | Extremely corrosive and destructive to tissue. |
|---------|--|
|---------|--|

Serious eye damage/eye irritation

Remarks May cause irreversible eye damage.

Respiratory or skin sensitisation

Not available

Germ cell mutagenicity

Not available

Carcinogenicity

Not available

Reproductive toxicity

Not available

Distillates (petroleum), hydrotreated middle: Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides: Amines, tallow alkyl, ethoxylated: 2-butoxyethanol:

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration toxicity

Not available

Further information

Solvents may degrease the skin.

Section 12: Ecological information

Ecotoxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

| Partition coefficient | Remarks |
|-----------------------|-------------------|
| noctanol/water | no data available |

Mobility in soil

Soil/water partition coefficient (Koc):

no data available

| Other adverse effects: | no data available | | | | |
|------------------------|---|--|--|--|--|
| Regulation | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - | | | | |
| | CAA Section 602 Class I Substances | | | | |
| Remarks | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). | | | | |
| | | | | | |
| Additional ecological | An environmental hazard cannot be excluded in the event of unprofessional | | | | |
| information | handling or disposal., Toxic to aquatic life. | | | | |

Section 13: Disposal considerations

Waste from residues

The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.

Contaminated packaging

Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

Section 14: Transport information

| Regulatory info | UN number | Proper shipping name | Classes | PG | Environmental hazards | Additional info |
|--------------------|--------------|----------------------|---------|----|--------------------------|-----------------|
| DOT Classification | Not | | | | | |
| | regulated | | | | | |
| TDG Classification | Not | | | | | |
| | regulated | | | | | |
| Mexico | Not | | | | | |
| Classification | regulated | | | | | |

| ADR/RID Class | Not | | | |
|----------------|-----------|--|--|--|
| | regulated | | | |
| IMDG Class | Not | | | |
| | regulated | | | |
| IATA-DGR Class | Not | | | |
| | regulated | | | |

Special precautions for user: Not available

| Transport in bulk according to | Not available |
|--------------------------------|---------------|
| Annex II of MARPOL 73/78 and | |
| the IBC Code: | |

National Regulations: Not available

Special precautions for user: Not available

Section 15: Regulatory information

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No | Component RQ (lbs) | Calculated product RQ (lbs) |
|---------------|---------|--------------------|-----------------------------|
| chloromethane | 74-87-3 | 100 | * |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

Fire Hazard Acute Health Hazard

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65

Drying Agent page 9

WARNING! This product contains a chemical known to the State of California to cause cancer. *ethylbenzene 100-41-4* WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

chloromethane 74-87-3

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory
DSL All components of this product are on the Canadian DSL.
AICS On the inventory, or in compliance with the inventory
NZIOC Not in compliance with the inventory
PICCS On the inventory, or in compliance with the inventory
IECSC On the inventory, or in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)


Section 16: Other information

Hazardous Material Information System (U.S.A.):

| Health | 1 |
|------------------|---|
| Flammability | 1 |
| Physical hazards | 0 |
| | |

Caution: HMIS[®] ratings are based on a 0-4 rating scale, with 0 representing hazards or risks, and 4 representing significant hazards or risks. Although HMIS[®] ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS[®] ratings are to be used with a fully implemented HMIS[®] program. HMIS[®] is a registered mark of the National Paint & Coatings Association (NPCA). HMIS[®] materials may be purchased exclusively from J.J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist